

PDOQ™ Push Fittings

 **Buying Guide**



Fast & Easy

Installs in seconds without clumsy/expensive tools

No waiting for water to drain down. Connect and test immediately.
Perfect for emergency situations

Works with all types of CTS tubing: Copper, CPVC, PEX, PERT

Trusted

Quality materials and an engineered connection provide
a strong, permanent joint.

Certified/Compliant: IAPMO listed to ASSE 1061 & AB1953

Replaceable

Removable. Reusable. Perfect for temporary or permanent use

Supply

Drainage

Support

Specialties







www.siouxchief.com

TAKE THE FIELD.




PDQ Push Full Line Offering

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ Sillcock				
	117Q22	1/2" Push Fit	6	6
PDQ Frostproof Sillcocks				
	119Q208	1/2" Push Fit, 8"	5	5
	119Q210	1/2" Push Fit, 10"	5	5
PDQ Supply Stops				
	131-G1Q1C04	3/8" PDQ (1/2" OD Push Fit) × 3/8" OD Comp., Chrome, 1/Box	1	32
	131-G2Q1C04	1/2" PDQ (5/8" OD Push Fit) × 3/8" OD Comp., Chrome, 1/Box	1	32
	132-G1Q1C04	3/8" PDQ (1/2" OD Push Fit) × 3/8" OD Comp., Chrome, 1/Box	1	32
	132-G2Q1C04	1/2" PDQ (5/8" OD Push Fit) × 3/8" OD Comp., Chrome, 1/Box	1	32
	648QGD220A	1/2" PDQ (5/8" OD Push Fit) × 3/8" OD Comp. × 3/8" OD Comp., Chrome, 1/Bag	12	12
Quick Connect Ice Maker KIT				
	289-IMK04	PEX Quick Connect Kit, 1/Bag	5	5
PDQ Add-A-Line				
	601Q20V	1/2" Push Fit × 1/4" OD Comp	6	6
	601Q30V	3/4" Push Fit × 1/4" OD Comp	6	6
PDQ Ball Valves				
	648QG2	1/2" Push Fit	12	12
	648QG3	3/4" Push Fit	12	12
	648QG4	1" Push Fit	6	6

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ Arresters				
	660-Q2	1/2" PDQ Push-Fit, Clamshell	1	6
	660-Q2B	1/2" PDQ Push-Fit	50	50
PDQ Water Heater Connectors - Braided SS				
	279-3F3Q18	3/4" FIP x 3/4" PDQ x 18"	5	40
	279-3F3Q18FP	3/4" FIP x 3/4" PDQ x 18"	5	40
PDQ Water Heater Connectors - Copper				
	633Q03	3/4" Push Fit x 3/4" FIP Swivel, 2"	12	12
	633Q06FP	3/4" Push Fit x 3/4" FIP Swivel, 6"	10	10
	633Q18	3/4" Push Fit x 3/4" FIP Swivel, 18"	10	10
	633Q18FP	3/4" Push Fit x 3/4" FIP Swivel, 18"	10	10
PDQ Water Heater Connectors - Flex Copper				
	634Q418	3/4" Push Fit x 3/4" FIP Swivel, 18"	12	12
	634Q418FP	3/4" Push Fit x 3/4" FIP Swivel, 18"	10	10
PDQ Water Heater Connector Kit				
	694Q312620	(1) 633Q03, (1) 633Q06FP	1	10
	694Q464120	(1) 634Q418, (1) 634Q418FP	1	10
PDQ x Swivel Adapter - Copper				
	637Q2	1/2" Push Fit x 1/2" FIP Swivel	12	12


PDQ Push Full Line Offering

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ Water Service Connector - Braided SS				
	279-4F3Q18	1" FIP x 3/4" PDQ x 18"	5	40
	279-4F4Q18	1" FIP x 1" PDQ x 18"	5	40
PDQ Drop Ear 90				
	647QG2E3	1/2" Push Fit x 1/2" FIP Drop-Ear	6	6
PDQ Copper Pressure Connector				
	632Q263	1/2" Push Fit, 6" x 3"	20	20
	632Q263X	1/2" Push Fit x 1/2" MIP Swivel, 6" x 3"	20	20
	632Q263Y	1/2" Push Fit x 1/2" FIP Swivel, 6" x 3"	20	20
PDQ Stub Outs Std.				
	630Q248	1/2" Push Fit, 4" x 8"	20	20
	630Q368	3/4" Push Fit, 6" x 8"	10	10
PDQ Stub Outs w/ Ear				
	630Q248E	1/2" Push Fit, 4" x 8", w/ Ear	10	10
	630Q4910E	1" Push Fit, 9" x 10", w/ Ear	10	10
PDQ x MIP Adapter - Brass				
	646QG2	1/2" Push Fit x 1/2" MIP	12	12
	646QG3	3/4" Push Fit x 3/4" MIP	12	12
	646QG32	1/2" Push Fit x 3/4" MIP	6	6
	646QG34	1" Push Fit x 3/4" MIP	6	6
	646QG4	1" Push Fit x 1" MIP	6	6
	646QG5	1-1/4" Push Fit x 1-1/4" MIP	3	3
	646QG6	1-1/2" Push Fit x 1-1/2" MIP	3	3
	646QG7	2" Push Fit x 2" MIP	3	3

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ x Sweat Adapter Brass				
	647QG2	1/2" Push Fit x 1/2" FIP	12	12
PDQ x FIP Adapter - Brass				
	647QG3	3/4" Push Fit x 3/4" FIP	12	12
	647QG32	1/2" Push Fit x 3/4" FIP	6	6
	647QG34	1" Push Fit x 3/4" FIP	6	6
	647QG4	1" Push Fit x 1" FIP	12	12
	647QG43	3/4" Push Fit x 1" FIP	6	6
	647QG5	1-1/4" Push Fit x 1-1/4" FIP	3	3
	647QG6	1-1/2" Push Fit x 1-1/2" FIP	3	3
	647QG7	2" Push Fit x 2" FIP	3	3
PDQ x PDQ Manifold				
	672Q0499	1/2" Push Fit, 4 Port	10	10
	672Q0599	1/2" Push Fit, 5 Port	10	10
	672Q0699	1/2" Push Fit, 6 Port	10	10
PDQ x Spun Closed Manifolds				
	672Q0490	1/2" Push Fit, 4 Port	10	10
	672Q0590	1/2" Push Fit, 5 Port	10	10
	672Q0690	1/2" Push Fit, 6 Port	10	10
PDQ Manifold Tee				
	641Q3-3Q2	3/4" Push Fit x 3/4" CTS x 1/2" Push Fit	1	6
PDQ Brass Elbows - Push x Thread				
	632QG222F	1/2" Push Fit x 1/2" FIP	6	6
	632QG222M	1/2" Push Fit x 1/2" MIP	6	6

PDQ Push Full Line Offering

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ Elbows - Brass Push x Push				
	642QG2	1/2" x 1/2"	12	12
	642QG3	3/4" x 3/4"	12	12
	642QG32	3/4" x 1/2"	6	6
	642QG4	1" x 1"	6	6
	642QG43	1" x 3/4"	6	6
	642QG5	1-1/4" x 1-1/4"	3	3
	642QG6	1-1/2" x 1-1/2"	3	3
	642QG7	2" x 2"	3	3
PDQ Tees Push x Push x Push				
	641QG222	1/2" x 1/2" x 1/2"	12	12
	641QG223	1/2" x 1/2" x 3/4"	6	6
	641QG224	1/2" x 1/2" x 1"	6	6
	641QG322	3/4" x 1/2" x 1/2"	12	12
	641QG323	3/4" x 1/2" x 3/4"	6	6
	641QG332	3/4" x 3/4" x 1/2"	6	6
	641QG333	3/4" x 3/4" x 3/4"	12	12
	641QG334	3/4" x 3/4" x 1"	6	6
	641QG424	1" x 1/2" x 1"	6	6
	641QG443	1" x 1" x 3/4"	6	6
	641QG444	1" x 1" x 1"	6	6
	641QG555	1-1/4" x 1-1/4" x 1-1/4"	3	3
	641QG666	1-1/2" x 1-1/2" x 1-1/2"	3	3
	641QG777	2" x 2" x 2"	3	3
PDQ Tees - Push x Push x Threaded				
	641QG222F	1/2" Push Fit x 1/2" Push Fit x 1/2" FIP	6	6
	641QG222M	1/2" Push Fit x 1/2" Push Fit x 1/2" MIP	6	6
	641QG333F	3/4" Push Fit x 3/4" Push Fit x 3/4" FIP	6	6
	641QG333M	3/4" Push Fit x 3/4" Push Fit x 3/4" MIP	6	6
PDQ Couplings - Brass				
	645QG2	1/2" x 1/2"	12	12
	645QG3	3/4" x 3/4"	12	12
	645QG7	2" x 2"	3	3
	645QG32	3/4" x 1/2"	6	6
	645QG4	1" x 1"	6	6
	645QG43	1" x 3/4"	6	6
	645QG5	1-1/4" x 3/4"	3	3
	645QG54	1-1/4" x 1"	3	3
	645QG6	1-1/2" x 1-1/2"	3	3
	645QG65	1-1/2" x 1-1/4"	3	3
	645QG76	2" x 1-1/2"	3	3
PDQ Slip Couplings - Brass				
	600QG406	1" Slip Coupling, No-Lead Brass	6	6

	ITEM NO	DESCRIPTION	MIN QTY	CASE QTY
PDQ Slip Couplings - Copper				
	600Q206	1/2" Slip Coupling, Copper	6	6
	600Q306	3/4" Slip Coupling, Copper	6	6
PDQ x Swt. Copper Couplings				
	645Q2-3	1/2" Push Fit x 3/4" CTS, 1/Bag	10	10
	645Q3-2	3/4" Push Fit x 1/2" CTS, 1/Bag	10	10
PDQ Repair Coupling - Braided SS				
	281-Q651205	1/2" PDQ x 1/2" PDQ x 12"	5	5
	281-Q652405	1/2" PDQ x 1/2" PDQ x 24"	5	5
	281-Q661205	3/4" PDQ x 3/4" PDQ x 12"	5	5
	281-Q662405	3/4" PDQ x 3/4" PDQ x 24"	5	5
PDQ Caps				
	605QG2	1/2" Push Fit	12	12
	605QG3	3/4" Push Fit	6	6
	605QG4	1" Push Fit	6	6
	605QG5	1-1/4" Push Fit	3	3
	605QG6	1-1/2" Push Fit	3	3
	605QG7	2" Push Fit	3	3
PDQ Tools				
	305Q2	1/2", 1/Bag	24	24
	305Q23PK1	1/2" & 3/4", 1 Pair/Bag	12	12
	305Q3	3/4", 1/Bag	24	24
	305Q4	1", 1/Bag	12	12
	305Q4PK1	1", 1/Bag	5	400
	305Q5	1-1/4", 1/Bag	5	5
	305Q6	1-1/2", 1/Bag	1	1
	305Q7	2", 1/Bag	1	1
PDQ Tube Stiffeners				
	603Q2	1/2", 6/Bag	15	15
	603Q3	3/4", 6/Bag	15	15
	603Q4	1", 6/Bag	15	15

Sioux Chief Manufacturing

▶▶ LIMITED LIFETIME WARRANTY

Warranty

Sioux Chief Mfg. Co., Inc. ("Seller" or "the Seller") warrants its products to be free from defects in material and workmanship under normal usage for the lifetime of the plumbing system in which they were originally incorporated. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge. This remedy shall be effective only if the product was installed in accordance with supplied instructions, common installation or use practices and existing building and plumbing codes and legal requirements; has not been subjected to misuse or abuse; was at all times used in a manner consistent with its intended use; was at all times used in installations and environments acceptable to its material and design specifications; or any express conditions or requirements laid out in company installation instructions, manuals, tech bulletins, special labeling, precautions, as well as other instructional documents and product limitations of use; was never modified, altered or repaired by anyone other than the Seller; was properly subjected to and passed common testing methods (including pressure testing for potable water and drainage systems) immediately after the product's installation and before the product is put into service, was not damaged by freezing temperatures or excessive heats outside normal working or any express working range of the product; was not subjected to or exposed to direct or indirect chemical exposures; was not subjected to corrosion from atmospheric or environmental degradation (including UV exposure, brackish water, acidic water (pH <6.5), alkaline water (pH >8), contaminated soils, etc.), and was protected from natural causes; was never subjected to improper protection during installation and was handled with all precautions expressly written within company limitation documents or known to the industry; was not subjected to water pressures and flow conditions outside the working limits of the product; was not subject to adverse or aggressive water conditions (during testing, through stagnation or within service life (where service-life is defined by this warranty)) and where any express water condition included within company documents is avoided; and all handling was performed in a manner consistent and known to the industry or taught through company documents, labels, websites, manuals, etc. In addition, Seller shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged, other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, chemical or any other circumstances over which the Seller has no control. This warranty excludes all costs arising from routine maintenance, including the replacement of any parts required by such maintenance and the replacement of parts required by normal wear and tear. The Seller also reserves the right to modify, alter or improve its product, or parts thereof, at any time without incurring an obligation to notify or modify, alter, improve or replace any product, or parts thereof, previously sold. If, on any occasion, Seller waives any term or condition, this waiver is not to be construed as a continuing waiver. For the purposes of this warranty, the lifetime of the original plumbing system is defined as the lesser of 25 years or the time before the plumbing system was replaced or materially changed; all products with automatically or manually moving parts are excluded from the limited lifetime warranty and carry a 3-year limited warranty, subject to the remaining terms, conditions and limitations of the warranty. Some States do not allow or have other parameters governing limitations on how long an implied warranty lasts, and some States do not allow the exclusion or limitation of incidental or consequential damages. This Limited Warranty gives you specific legal rights, and you may have other rights that vary from State to State. You should consult applicable state laws to determine your rights. THE WARRANTY SET FORTH HEREIN ABOVE AND BELOW IS GIVEN EXPRESSLY AND IS THE ONLY WARRANTY GIVEN BY THE COMPANY WITH RESPECT TO THE PRODUCT. THE COMPANY MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. THE COMPANY HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Terms & Conditions

All sales are subject to the Standard Terms and Conditions set forth on Sioux Chief's website at www.siouxchief.com. These terms include the following:

Return Merchandise

No merchandise can be returned without Seller's prior written authorization. All returns must comply with the guidelines established below.

Return Merchandise & Warranty Service

In order to return product/merchandise or receive warranty service, Buyer must first obtain a Return Merchandise Authorization ("RMA") by contacting Seller using the following information:

MAIL: Customer Service Manager
Sioux Chief Manufacturing Company, Inc.
14940 Thunderbird Road
Kansas City, Missouri 64147

PHONE: 816-425-9900 / 1-800-821-3944

FAX: 816-348-7502 / 1-800-758-5950

EMAIL: info@siouxchief.com

Return Merchandise Procedure

All merchandise returns and warranty claims are subject to the following general terms and conditions:

RMA requests must reference Seller's order number, invoice number or the customer's P.O. number.

Minimum return amount must be \$250 net value per purchase order.

Product returns can only be made within twelve (12) months of the original invoice date of the product to Buyer.

Seller reserves the right, at its sole and absolute discretion, to reject an RMA request for any reason at any time.

In order to be received and accepted by Seller, all returned product must be in whole multiples of the Minimum Quantity listed in the current Price Index and material must be in its original packaging with manufacturer's seal intact.

Products which are being phased-out, are obsolete, or were special-order (custom) are not considered normal stock. These items are non-returnable and non-refundable, except in the case of a manufacturer's defect.

Buyer will be charged 25% of the applicable return price for product restocking.

An RMA is invalid 90 days after its date of issue.

Seller will only supply product credit for a product return or warranty claim. Issuance of an RMA does not authorize the Buyer to deduct the value of the returned item; once product is received and accepted by Seller, Seller will issue a credit memo for the returned product when applicable.

All product returns are subject to inspection and acceptance by Seller at its discretion.

Seller reserves the right to deny, nullify or cancel an RMA at its discretion.

Product returned without a Return Merchandise Authorization number will be destroyed without credit.

Seller shall not be responsible for shipping errors and shortages reported 5 days after receipt of material.

Seller shall not be responsible for shipment shortages that are signed for as clear. Any shipment that appears to be damaged in shipping must be noted when signing for receipt of delivery.

Warranty Procedure - Product & Property

All claims for property or other damage are subject to the following additional terms and procedure:

If there is a warranty claim on a part that involves property or other damage, Seller should be contacted by phone or in writing directly following the loss, and in no case later than 15 days of the date of alleged claim or failure and before any remediation or alteration of the loss site has been started; any notice beyond this time frame or after work has taken place to repair or change the loss site will materially affect the Seller's ability to adjudicate the claim and will void the warranty.

The product in claim and/or its installation should not be modified before review by Seller; alteration of the alleged product or installation materially affects the Seller's ability to establish fault and voids the warranty.

Request a claim form. Submit the completed form to the Seller. Claimant will receive an INC (incident) number from Seller.

With the INC number, claimant should submit the claim form, including the date of the installation, description of problem, damage, pictures of the product, and repair invoices. This information should be sent to the above address at claimant's expense. Seller will not receive or process a claim without an INC number.

Seller will contact claimant with next steps, which may include a visit from a site investigator or other representatives of Seller, as Seller reserves the right to investigate all alleged loss sites.

Full Freight Allowance

Sioux Chief will pay freight on all orders to single destinations totaling at least \$3,000 Net to locations within the 48 contiguous states (United States of America), at least \$6,000 Net to locations within Hawaii, Alaska, and Puerto Rico, and at least \$3,000 CAD Net to locations within Canada. Sioux Chief will pay freight on HydroTec™ and HydroBlock™ trench drain orders of at least \$5,000 Net to locations with the 48 contiguous states.

Processing of Orders

All orders are processed immediately upon receipt and acceptance by Seller. Seller reserves the right to charge back to Buyer costs incurred from order cancellations or changes, and to consider additions as separate orders.

Price Changes

All prices quoted from time to time by Seller are subject to change without notice up to time of shipment. Invoice totals and discounts will be calculated out to the sixth decimal digit. If Buyer fails to give written notice of objection to Sioux Chief's order confirmation within ten (10) days after Buyer's receipt of Sioux Chief's confirmation of the purchase order, the order confirmation pricing becomes binding.

Minimum Order Quantities

A 10% surcharge will be applied to any item not purchased in multiples of the stated Minimum Quantity, except on drop-ship orders. Items with bold Minimum Quantities in the Numerical Index (back of catalog) can never be broken. PEX tube bundles (sticks) must be ordered in a minimum quantity of ten (10) bundles and on orders at or equal to \$30,000 Net or a \$100 surcharge will apply to the line item. Coils can be ordered one (1) at a time

TAKE THE FIELD.

www.siouxchief.com

14940 Thunderbird Road
Kansas City, MO 64147
P 1.800.821.3944
F 1.800.758.5950

