


Strong Arm™

Stub Out Bracketing System Buying Information

Patent #8,061,390, #8,141,831



Solid

Rigidly secures any copper, PEX or CPVC CTS stub out and prevents all movement.

Versatile

Available for 16" and 24" stud bays with either one or two pre-installed LockBlock™ devices.

Cost Effective

Eliminates the need to solder stub outs and prevents stub outs from being damaged by other trades.



Supply

Drainage

Support







Specialties

www.siouxchief.com




TAKE THE FIELD.



Pre-assembled Brackets

CATEGORY	ITEM NO.	DESCRIPTION	PKG	MIN. QTY.	CASE QTY.
TWISTED StrongArm™ BRACKETS WITH LockBlock™					
	525-1612	One 1/2" LockBlock™, 16" Stud Bays	B	25	25
	525-1613	One 3/4" LockBlock™, 16" Stud Bays	B	25	25
	525-1614	One 1" LockBlock™, 16" Stud Bays	B	25	25
	525-1622	Two 1/2" LockBlocks, 16" Stud Bays	B	25	25
	525-1622PK1	Two 1/2" LockBlocks, 16" Stud Bays	C*	10	10
	525-1623	Two 3/4" LockBlocks, 16" Stud Bays	B	25	25
	525-1624	Two 1" LockBlocks, 16" Stud Bays	B	25	25
	525-2412	One 1/2" LockBlock™, 24" Stud Bays	B	25	25
	525-2413	One 3/4" LockBlock™, 24" Stud Bays	B	25	25
	525-2422	Two 1/2" LockBlocks, 24" Stud Bays	B	25	25
L-BENT StrongArm™ BRACKETS WITH LockBlock™					
	525-1612L	One 1/2" LockBlock™, 16" Stud Bays	B	25	25
	525-1622L	Two 1/2" LockBlocks, 16" Stud Bays	B	25	25
TWISTED StrongArm™ BRACKETS WITH 1/2" PEX BEND SUPPORT LockBlock™					
	525-161PB	One PEX Bend LockBlock™, 16" Stud Bays	B*	25	25
	525-161BPK	One PEX Bend LockBlock™, 16" Stud Bays	C*	10	10
	525-162PB	Two PEX Bend LockBlocks, 16" Stud Bays	B*	25	25
	525-162BPK	Two PEX Bend LockBlocks, 16" Stud Bays	C*	10	10
	525-241PB	One PEX Bend LockBlock™, 24" Stud Bays	B	25	25
	525-242PB	Two PEX Bend LockBlocks, 24" Stud Bays	B	25	25
L-BENT StrongArm™ BRACKETS WITH 1/2" PEX BEND SUPPORT LockBlock™					
	525-161PBL	One PEX Bend LockBlock™, 16" Stud Bays	B	25	25
	525-162PBL	Two PEX Bend LockBlocks, 16" Stud Bays	B	25	25
	525-241PBL	One PEX Bend LockBlock™, 24" Stud Bays	B	25	25
	525-242PBL	Two PEX Bend LockBlocks, 24" Stud Bays	B	25	25
TWISTED StrongArm™ BRACKETS WITH Shower WallNut LockBlock™					
	525-16WLB	One 1/2" Shower WallNut LockBlock™, 16" Stud Bays	B	25	25
	525-24WLB	One 1/2" Shower WallNut LockBlock™, 24" Stud Bays	B	25	25
StrongArm™ VENT PIPE ASSEMBLY WITH SADDLE CLAMP					
	525-1622V	Two 1/2" LockBlocks and Stainless Steel Snap-Lock Band	B	25	25
	525-162PBV	Two PEX Bend LockBlocks and Stainless Steel Snap-Lock Band	B	25	25

Packaging: B = Bulk C = Cut Case * Individually Bar-Coded

CATEGORY	ITEM NO.	DESCRIPTION	PKG	MIN. QTY.	CASE QTY.
BULK BRACKETS					
	525-16T	Twisted Bracket for 16" Stud Bays	B	100	100
	525-24T	Twisted Bracket for 24" Stud Bays	B	100	100
	525-20B	L-Bent Bracket for 16" Stud Bays	B	100	100
	525-27B	L-Bent Bracket for 24" Stud Bays	B	100	100
BULK LOCKBLOCKS					
	525-B2	1/2" LockBlock™	B	50	50
	525-B3	3/4" LockBlock™	B	50	50
	525-B4	1" LockBlock™	B	50	50
	525-B2S	One 1/2" LockBlock™ W/ Two 2-1/2" Drill-Tip Screws, Bagged	B*	1	50
	525-B3S	One 3/4" LockBlock™ W/ Two 2-1/2" Drill-Tip Screws, Bagged	B*	1	50
BULK PEX BEND SUPPORT LockBlock™					
	525-P2	1/2" PEX Bend (Elbow Only)	B	50	50
	525-P2PK	1/2" PEX Bend (Elbow Only), Bar-coded	C*	10	10
	525-P22	1/2" PEX Bend LockBlock™	B	50	50
LockBlock™ FACE PLATE					
	525-P2M	LockBlock™ Face Plate	B	25	100
	525-B2M1	LockBlock™ Face Plate W/ 1/2" LockBlock™, Bagged	B*	25	25
	525-P2M1	LockBlock™ Face Plate W/ PEX Bend LockBlock™, Bagged	B*	25	25
Shower WallNut LockBlock™					
	525-WLB	Shower WallNut LockBlock™ for Supporting 1/2" Copper Stub Out Ell at Shower Arm/Riser	B	50	50
SCREWS					
	591-06B	#6 × 1", Coarse Thread for Wood Studs, 100/bag	B	1	10
	591-081	#8 × 1", Drill-Tip Point for Metal Studs, 100/bag	B	1	10

Packaging: B = Bulk C = Cut Case * Individually Bar-Coded

Note:

1. All LockBlocks are sized to fit nominal copper tube.
2. Coarse thread screws are included with all bracket assemblies and bulk LockBlocks.

TAKE THE FIELD.

